

**LEGEND**

(XXX/XX) ROOM OCCUPANT LOAD / CONTRIBUTING OCC. LOAD TO EXIT SCHEME

FE FIRE EXTINGUISHER IN RECESSED WALL CABINET - REFER TO DETAIL 5/A10.0

⊗ BATTERY BACK-UP ILLUMINATED EXIT SIGN @ 7'-6" TO CENTER A.F.F. - REFER TO SHEET E21 LIGHTING PLAN.


⊗ BATTERY BACK-UP LOW LEVEL ILLUMINATED EXIT SIGN - REFER TO SHEET E21 LIGHTING PLAN.

**GENERAL NOTES**

1. FINISH AND INSTALL ROOM CAPACITY SIGNAGE. AT ALL ASSEMBLY ROOMS, SIGN SHALL BE OF DURABLE CONSTRUCTION AND CONTRASTING IN COLOR FROM THE BACKGROUND ONTO WHICH IT IS ATTACHED. SIGN SHALL READ "MAXIMUM ROOM CAPACITY XXX". REFER TO NOTED ROOM OCCUPANT LOAD (THIS DRAWING) FOR CAPACITY VALUES TO BE NOTED ON SIGNAGE.
2. FIRE EXTINGUISHER LOCATIONS SHALL BE APPROVED BY THE FIRE DEPARTMENT PRIOR TO INSTALLATION.
3. TOTAL OCCUPANT LOAD: 768  
OCCUPANT LOAD CONTRIBUTING TO EXIT SCHEME: 133

**EXITING PLAN**

SCALE: 1" = 10'-0"



REV. NO.	DESCRIPTION	DATE	BY	APPV

**Lesovsky-Donaldson Architects**  
MEMBER AMERICAN INSTITUTE OF ARCHITECTS  
4 South Central Court Stockton, California 95210-2405  
These documents are the property of the Lesovsky/Donaldson Architects, and are not to be produced, copied or copied without the expressed written consent of Lesovsky/Donaldson Architects.

**STRIBLEY PARK COMMUNITY CENTER**  
1700 E. SONORA STREET, STOCKTON, CA.

**EXITING PLAN**

DEPARTMENT OF PARKS AND RECREATION  
CITY OF STOCKTON

SCALE: 1"=10'-0"      APPROVED BY: DATE:      SHEET NO. **A0.1**

DESIGNED BY: JO      DRAWN BY: JO      OF SHEETS

CHECKED BY: EW      PARKS FACILITY PLANNER/L.A. PROJECT NO. **000-00**

RECORD DWG.      STOCKTON, CALIFORNIA